

*dough***Xpress**[®]

professional series
2008 COLLECTION

Pizza Presses

pizzaXpress



DXA-SS

- Energy efficient
- 2 start buttons for safety
- Infinite range thickness
- Press up to 18" pizzas




DXE-SS

- Energy efficient
- 2 start buttons for safety
- Infinite range thickness
- Press up to 18" pizzas

DXM-SS

- Cam over lock
- Infinite range thickness
- Press up to 18" pizzas



DXDD

- Simple to use dough docking press
- Interchangeable docking platen
- Docking platen sizes 8" to 14"

DM-18

- Heated upper platen
- Thickness adjustment up to 7/8"
- Press up to 18"



Tortilla Presses & Tortilla Warmers

tortillaXpress



D-TXA-2-18

- Dual 18" round heated platens
- Also available in 16"x20" grill sized platens
- Platens heat to 450 °F
- Optional Xylan® non-stick coating

*16"x20" model TXA-SS

D-TXM-2-18

- Dual heated platens to 450 °F
- Available in 18" round or 16"x20" platens
- Quick lube fittings for easy maintenance
- Optional Xylan® nonstick coating



*16"x20" model TXM-SS



TXM-20

- Dual 16"x20" heated platens
- Infinite range thickness
- Shown with optional Xylan® non-stick coating

TXM-15

- Dual 15"x15" heated platens
- Swing-out design for easy dough placement
- Shown with optional Xylan® non-stick coating



heatXpress



TXW-2025/1620

- Standard 16"x20" or large 20"x25" surface
- Temperature range of 104 °F - 455 °F
- Optional non-stick coating

www.doughxpress.com

Meat Presses



meatXpress



TXM-15CP

- 15" x 15" platens
- Press four cutlets at a time
- Produce 700 cuts/hr
- Non-stick coated platens



DXM-SSCP

- Large 16" x 20" platens
- Produce 700 to 1000 cuts/hr
- Press up to six cutlets at once
- Non-stick coated platens

Press Accessories

accessories



DXC-3AC
Cart With
Silent Air Compressor



DXC-3
Food Press Cart
*press not included



DXDC-5
Dough Storage Cart

Anti-Stick
Release Agent



Silent
Air Compressor



2 qt. Dough Ball
Storage Tub with Lid

doughXpress

1-800-835-0606 ext. 205 www.doughXpress.com

All prices and specifications subject to change without notice.